

Patent Application Transmittal

(only for new nonprovisional applications under 37 C.F.R. 1.53(b))

Correspondence Address:
FROMMER LAWRENCE & HAUG LLP
745 FIFTH AVENUE
NEW YORK, NEW YORK 10151
TEL: (212) 588-0800
FAX: (212) 588-0500

Date: September 7, 2000

Attorney Docket No.: 450110-02767

ASSISTANT COMMISSIONER FOR PATENTS
Box Patent Application
Washington, D.C. 20231

Sir:

With reference to the filing in the United States Patent and Trademark Office
of an application for patent in the name(s) of:

Yiming ZHOU

entitled:

DISTRIBUTED SERVICE PROVIDER

The following are enclosed:

- ☒ Specification (15 pages)
☒ 3 Sheet(s) of Drawings
☒ 19 Claim(s) (including 2 independent claim(s))
☐ This application contains a multiple dependent claim

- ☒ Our check for \$ 730.00, calculated on the basis of the claims as
amended by any enclosed preliminary amendment as follows:

Basic Fee, \$690.00 (\$345.00)	\$ 690.00
Number of Claims in excess of 20 at \$18.00 (\$9.00) each:	-0-
Number of Independent Claims in excess of 3 at \$78.00 (\$39.00) each:	-0-
Multiple Dependent Claim Fee at \$260.00 (\$130.00)	-0-
Total Filing Fee	\$ 690.00
<input checked="" type="checkbox"/> Assignment Recording Fee \$40.00	\$ 40.00

- ☒ Oath or Declaration and Power of Attorney
☒ New ☒ signed ☐ unsigned
☐ Copy from a prior application (37 C.F.R. 1.63(d))

- ☐ Certified copy of each of the following application(s) to substantiate
the claim(s) for priority made in the Declaration:

Application No.

Filed

In

Please charge any additional fees required for the filing of this
application or credit any overpayment to Deposit Account No. 50-0320.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP
Attorneys for Applicant

By William S. Frommer
William S. Frommer
Reg. No. 75,506

08-11-00

A

450110-02767

"Express Mail" mailing label number EL588275385USDate of Deposit September 7, 2000

I hereby certify that this paper or fee, and a patent application and accompanying papers, are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and are addressed to the Assistant Commissioner for Patents, Washington, DC 20231.

Charles Jackson
(Typed or printed name of person mailing paper or fee)

Charles Jackson
(Signature of person mailing paper or fee)

09/07/00

1c839 U.S. PRO

1c511 U.S. PRO

09/07/00

6556969

PATENT
450110-02767

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR LETTERS PATENT

TITLE: DISTRIBUTED SERVICE PROVIDER
INVENTOR: Yiming ZHOU

William S. Frommer
Registration No. 25,506
FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151
Tel. (212) 588-0800

BACKGROUND OF THE INVENTION

Field of the Invention

5 The invention relates to a computer network comprising a plurality of interconnected stations, more especially to the distribution of tasks between stations of a network in order to improve performance of the stations as viewed as a whole.

Description of the Prior Art

10 In a computer network, each station, node or terminal will have its own tasks to perform. It is also the case that, in use, there will wide fluctuations in usage across the stations. Because of this, various schemes have been developed to increase the performance of a station by utilising spare capacity in other stations of the network that may otherwise lie idle. The present invention relates to one such scheme.

15 SUMMARY OF THE INVENTION

According to a first aspect of the invention there is provided a station for a network apparatus comprising the station and a plurality of other stations, all interconnected by a communication link, the station comprising:

- 20 a network connection;
- a self assessment module operable to determine a current status of the station, wherein the current status is a measure of the stations available resources;
- a trust list that includes a station identifier for the or each other station which is designated as trusted to perform tasks for the station;
- 25 a broadcast unit operable to transmit service requests to the network connection and onto the network, the service requests being directed to the or each other station identified in the trust list and constituting a request to the or each other station to perform a task for the station; and

an answer unit operable to receive service requests from the network through the network connection and, in response thereto, to transmit to the network through the network connection an acceptance or refusal message in respect of the service request, the acceptance or refusal being decided having regard to the current status of the station, as determined by the self assessment module.

According to a second aspect of the invention there is provided a method of distributing tasks in a network comprising a plurality of stations, all interconnected by respective network connections to a communication link, the method comprising:

transmitting a service request by a first station to its network connection and onto the network, the service request being directed to a trusted sub-group of the stations and specifying a task to be performed; and

receiving the service request by a second station, that is one of the trusted sub-group of stations, through its network connection and, in response thereto, transmitting to the network through its network connection an acceptance or refusal message in respect of the service request, the acceptance or refusal being decided having regard to the current status of the second station, as determined by a self assessment of the second station; and

carrying out the task specified in the service request by the second station and returning a service result to the first station.

According to an embodiment of the invention there is provided a distributed artificial intelligence service provider (DAISP) for a station according to the first aspect of the invention. This will be beneficial for both broadcasters and service providers, since many if not most applications should be network based nowadays.

The basic idea of DAISP is to make use of all available computer power in a networked environment and not to affect local users' activities. Distribution should be done whenever and wherever needed in a straightforward, effective, and simple way.

The DAISP is a normal user level application. It does NOT require anything special from an existing operating system. In a Unix situation, it will run as long as the user has a valid account. In the Microsoft NT case, it will run on a normal NT workstation and it does not require special libraries apart from the *Winsock.dll* which is needed for networking under NT.

The DAISP architecture is not a client/server architecture. There is no central server for the service so that there is no single point failure in the system. It is a network where individuals serve others on a trust basis, and themselves if necessary. At some times, the stations work together to produce harmonious performance.

5 Individuals use the network as a stage to play on, to serve others, and to communicate/monitoring. It is possible for a station not to provide any service to others. In this case, it is a customer/listener only station. However, such a station is still part of the architecture.

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects, features and advantages of the invention will be apparent from the following detailed description of illustrative embodiments which is to be read in conjunction with the following drawings in which:

15 Figure 1 shows a network in the form of a distributed system of interconnected stations;

Figure 2 shows a home network system example conforming to the network architecture of Figure 1;

Figure 3 shows internal modules of a station according to Figure 1 or 2;

20 Figure 4 shows internal structure of one of the modules of Figure 3; and

Figure 5 shows internal structure of another of the modules of Figure 3.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

25 Figure 1 shows a computer network comprising a plurality of stations 100, 102... etc. sequentially labelled 1, 2, ... n. The stations are networked by a communication link 10 with spurs 11 interconnecting each station to the main network link 10.

30 Figure 2 is an example of the general network of Figure 1 in the form of a home network comprising a number of disparate stations linked by a home network cable 10. The home network protocols and hardware comply to the standard IEEE

1394. The network is linked to the outside world by a satellite transceiver 8. The network stations shown by way of example are a television 100, a desk-top personal computer 102, a telephone apparatus 104, a set top box 106, a digital closed circuit television (CCTV) camera 108, a hi-fi system 110, a video recorder 112, a lap-top
5 personal computer 114 and a digital video camera 116.

It is envisaged that a typical home network will have connected to it a disparate collection of stations, each having different computing capabilities. For example, it may be expected that the personal computers 102 and 114 will have relatively powerful general processing and memory capabilities, whereas the digital video camera 116 and
10 television 100 may have relatively powerful image processing capabilities.

Moreover, it is envisaged that some of the stations will be transient elements in the system in that they will be plugged in and out as "plug-and-play" devices, i.e. devices that are automatically configurable in the network. For example, the lap-top computer 114, and the digital camera 116 will be connected to the home network only
15 sporadically.

Figure 3 shows internal structure of the station 100. The further stations 2, 3, 4, ...n will have the same internal structure. The internal structure is made up of a number of interconnected components, each of which is described in turn below. The illustrated components of the station are a broadcast/answer module 12, a self
20 assessment module 14, a system security module 16, a task execution, monitoring and reporting module 18, a task scheduler module 20, a service requirement analysis module 22, a service/performance history learning analysis module 24, a task failure management module 26, an assistance service module 28, a plurality of service modules 30, and a redistributable software resource repository 32.

The broadcast/answer module 12 is shown in its station environment in Figure 3 and again in Figure 4 which shows further internal structure of the broadcast/answer module 12.

The broadcast/answer module 12 is the module to broadcast service requirements to the network. The requirement can be anything related to the task it is
30 performing. For example, if a station wants to take on a task since it is the most

suitable station to do the job, but found that there was a software module missing in its library, it could then broadcast the requirement for the piece of software.

As shown in Figure 5, the broadcast/answer module 12 has a broadcast unit 48 and an answering unit 46. The broadcast unit 48 is operable to transmit resource requests to the network. The answering unit 46 includes information about the station's self-assessment of its performance if it takes on the task and some basic station-based information such as CPU power, benchmark, free memory, total memory, current load of the machine, etc. Before answering any service requirements, security has to be checked to keep intruders away. Also, it has to check resources inside itself to make sure it can take on the task.

The self assessment module 14 is illustrated in Figure 3 in its station environment, and again in Figure 5 which shows internal structure of the self assessment module 14.

The self assessment module 14 provides two kinds of self assessment or self evaluation, namely self assessment based on static status and self assessment based on dynamic status. The status information is held in respective status units 40 and 42. The status is evaluated by a status evaluation unit 44. The self assessment module 14 is connected to the broadcast/answer module 12 by a link 15. In response to a status request from the broadcast/answer module 12, the station status is evaluated by the status evaluation unit 44 and a result returned by the link 15. The status request may be prompted, for example, by receipt of a request from a trusted remote station for resources.

The static status information is held in a static status unit 40 and includes:

- (a) CPU model, number,
- (b) Total memory,
- (c) Total permanent storage,
- (d) Byte Benchmark (Integer, memory, floating point),
- (e) Operating System ID, version,
- (f) Special hardware devices ID, version.

The dynamic status information is held in the dynamic status unit 42 and includes:

- (a) CPU load (current, last 1 minute, last 5 minutes, last 15 minutes).
- 5 (b) Network bandwidth (Mbit/Sec).
- (c) Number of native Processes.
- (d) Status of native Processes (Owner, CPU, Disk, RAM and Special hardware usage).
- (e) Number of alien Processes.
- 10 (f) Status of alien Processes (Owner, CPU, Disk, RAM and Special hardware usage).
- (g) Free available disk space of those Disk IDs.
- (h) Total free RAM.
- (i) Special Hardware status.

15

Static status takes relatively long time to complete. It generally needs to be done only once when the DAISP is up and running first time after a hardware update. It is then saved as a file which can be used when needed. Dynamic status has very short life time, i.e. it is out of date soon after it is obtained. It will be obtained periodically and dispatched if needed immediately.

20

The system security module 16 guards a station running DAISP by every means. It can prevent answering malicious requirements and unreasonable task execution requirements. It can use encryption to protect the communication between stations. Normally, this is done on a trust basis, as defined by a trust list held in and for each station. The trust list is a list of the station identifiers of those other stations which are permitted to pool tasks with the station concerned. That is, the trust list is a list of other stations which the station concerned will transmit broadcast requests to and will be prepared to consider answering broadcast requests from.

25

In the example of the home system, there may be a number of personal computers used by different family members. Personal computers of children, for example, could be excluded from trust lists to reduce the virus hazard.

30

If a station is trusted in the DAISP, it will have the right to access whatever it can access under the operating system's discretion. For example, if a DAISP is run by a normal user (compared with privileged user), it will have access to the resources which a normal user can access.

5 In the case of a normal UNIX box, it will have access to the user's own quota controlled hard disk, user ID priority governed CPU usage, etc.

In a Microsoft NT environment, a normal user will have the right to access all shared hard disks on the network and user ID priority governed CPU usage. Care must be taken in the Microsoft case since a normal user has access to the network wide
10 shared disks.

The task execution, monitoring, reporting module 18 takes on a task and starts execution if necessary. It will broadcast status to the network. The purpose of doing this is that if the station fails in the middle of the execution, others will know about the task and its progress and take over. For example, if station α started a service and put
15 up a message onto the network saying that "I am doing the task, it should finish by 21:10:35 and this information is updated at 21:10:10, and next update will be at 21:10:20", if it fails to update the message at 21:10:21, everybody on the network knows that something unexpected happened to α , then the capable station at the time can take on the task and inform the network about its action. This will guarantee the
20 quality of the service.

The task scheduler module 20 maintains a tasks' and stations' priority scheme which governs the task execution priority in the station. It will monitor all tasks in the station including local tasks, which are the tasks initiated locally and foreign tasks, which are created by remote DAISP users. For example, if a local user starts a task, say
25 Microsoft word, the Task scheduler module has to act quickly to suspend some of the foreign tasks in order to release enough resources, say CPU power, back to the local resources pool. It will guarantee that the local user will not be affected by any foreign tasks running in the machine. That will encourage users to participate the DAISP scheme.

30 The service requirement analysis module 22 does extra work after finishing a service and provides information about performance and possible improvement. It

maintains the redistributable software resource repository 32 inside of the station. For example, if a software module was not used for a long time, it can ask others to have it. If nobody wants it, it can put it into a software dump place. If it finds out there exists a new version of a software, it can update the software collection of the station by grabbing it through internet and let other station know it.

The service/performance history learning analysis module 24 is concerned with the history of the station. Its main task is to optimise the station so that it can service the network better. It will try to find bottlenecks for different tasks and will bring these to the attention of the system administrators if it can not solve it itself.

The task failure management module 26 deals with both failure of itself and other stations in the network. If it fails to do something, it will put a requirement up to the network for solution. If it found somebody else's failure such as mentioned in the "Task execution, monitoring, reporting module" section, it will see whether it can take on the task. If it can, it will broadcast the response and wait a while for answers. If nobody answers before timeout, it will start to continue the services.

The assistance service module 28 works as a bridge to other modules, for example, as a intermediate delivery station for a long distance material transfer. Or, it can be treated as sub-service to other service stations.

The service modules 30 are the modules that do the actual service jobs. they can be any services such as AI service for user habit catching, analysis and predicting, video streaming services, streaming convergence services, etc.. Certain service modules can be inside of "Redistributable software resource repository". They could be relocated to somewhere else in order to serve customers better.

A Distributed AI Service Provider (DAISP) based on the above-described distributed system architecture and a Linux operating system has been designed and implemented. It can be put on to one bootable floppy disk for machines which have sufficient memory to operate it. It can do distributed AI servicing without waste of hardware resources. Learning and predicting requirements from clients can be dealt with seamlessly, i.e. the DAISP provides a Plug-and-Play type of service. Testing has been done by using multiple PCs, such as dual Pentium II 400 with 256Mb RAM. The

whole system functioned as expected and execution time for learning and predicting was nearly linearly reduced as more DAISPs were put into service.

The DAISP provides a good solution for many networked applications, for example as a host to an AI engine. The distributed system architecture can provide a
5 more robust and reliable service in many areas.

2025 RELEASE UNDER E.O. 14176

EXAMPLE STRUCTURE AND PROTOCOLS

There follows a set of data defining structures and protocols of an exemplary embodiment of a distributed service provider:

5

```
/*      The ucLittleEndian must be set before a protocol can be sent.  
Do ucLittleEndian = LittleEndian;
```

10

```
All command, apart from ALLDONE, start with either "SR" for Service  
Requirer to Service Provider "SP" for Service Provider to Service  
Requirer.
```

```
When a protocol arrives its destination, it will be checked against  
its checksum
```

15

```
Max number of protocols is 256.
```

```
*/
```

```
typedef enum
```

```
{
```

20

```
ALLDONE, /*This one is sent by either sides and finish  
the job for all.
```

```
*/
```

```
SRNetBandwidth, /*Command from a Service Requirer (SR) to  
the DSP. Asking for permission to send test  
block.
```

25

```
ulBlkLen = Length of the block
```

```
*/
```

```
SPNetBandwidthACK, /*DSP ack. the block has received and everything  
the block.
```

30

```
ulBlkLen = Length of the block
```

```
*/
```

```
SRSendProg, /*Sending a program to a SP.
    ulBlkLen = Length of the program
    ucServiceID = Length of the filename
    Program ID will be used as filename in the SP.
5    Care has to be taken that the SP saves the prog
    as
    /AllowedDIRbySP/ClientIP/ProgramName
    where /AllowedDIRbySP MUST exist.
    After the SP got and saved the program, the full
10    pathname of the program will be sent back for
    the SR to run it later.
    */
DataBlk, /*sends any data block. SR<->SP
    ulBlkLen = Length of the block
15    */
SRExecProg, /*Send command to SP to run a program delivered
    before.
    ulBlkLen is the length of ExecCmdStruct (in
    struct.h).
20    SP has to get the ExecCmdStruct block and
    follow the instruction given there to run
    the program.
    */
SPExecProgACK, /*Send ACK to SR,
25    The program has been executed, or not and reason.
    ulBlkLen = Prog's pid
    */
SRStaticStatusReq, /*Asking for the SP's static status.
    SP has to create the structure and fill the
30    information required and using
    SPStaticStatusAck to send the info back.
```

```

        */
SPDiskParameters, /*Send disk info. to SR.
        ulBlkLen is the length of DiskInfo
        (in struct.h) * the number of disks.
5        */
SPSepcialHWInfo, /*Send special hardware information to SR.
        ulBlkLen is the length of SpecialHWInfo
        (in struct.h) * the number of SpecialHWInfo.
        */
10
SPStaticStatusAck, /*Ack of the SRStaticStatusReq.
        ulBlkLen is the length of StaticStatusStruct
        (in struct.h).
        The structure will be sent after the protocol.
15        */
SRDynamicStatusReq, /* Asking for the SP's static status.
        SP has to create the structure and fill the
        information required and using
        SPDynamicStatusAck to send the info back.
20        */
SPPProcessInfo, /*Send the process info. if ucServiceID is set
        when receive the SRDynamicStatusReq.
        ulBlkLen is the length of ProcessInfo
        (in struct.h).
25        The structure will be sent after the protocol.
        */
SPDynamicStatusAck, /*Ack of the SRDynamicStatusReq.
        ulBlkLen is the length of DynamicStatusStruct
        (in struct.h).
30        The structure will be sent after the protocol.
        */
```

SPIntermediateResult, /*SP sends out intermediate result produced by
executing a program back to the SR.
ulBlkLen is the length of the result block.
Result block has to be defined and understood
5 by the SR and the program.
*/

SPIntermediateStatus, /*SP sends out intermediate result produced by
executing a program back to the SR.
ulBlkLen is the length of the status block.
10 Status block has to be defined and understood
by the SR and the program.
*/

SPExecFinished, /*SP sends out after an execution of a program
finishes.
15 ulBlkLen is the length of the result data block
*/

SRSignalForExec, /*SR sends a signal to the program executed
in the SP. The signal has to be delivered to the
program by kill(PID, signal).
20 ucServiceID = the program ID.
ulBlkLen = the signal.
*/

SPSignalFromExec, /*SP passes the signal produced by the program
currently being executed to the SR.
25 ucServiceID = the signal.
*/

SRKillProg, /*SR send the protocol to kill a program.
ulBlkLen = the length of the program's name to be killed.
a datablock of the program's name will follow.
30 */

SROSIDQuery, /*SR asking SP's OSID.

ucServiceID = SR's OSID.

SP MUST send SPOSIDAck with ucServiceID as its OSID.

This one is first sent by a SR to a SP after SP accepts
its call.

5 */

SPOSIDAck, /*SP Ack. SR's OSID query.

ucServiceID = SR's OSID.

This one is first sent by a SP to a SR after SP got
SROSIDQuery.

10 */

SRRemoveProg, /*SR wants to remove the old program in a SP.

ulBlkLen = the length of the following Program Path.

The program pathname will be sent using SendData.

15 SP MUST get the program pathname using GetData then
get rid of the program.

*/

SPAskingAliveSR, /*it is sent in the SP's monitoring session to see whether

the concerned SR is still alive. (CtrlSkt)

ulBlkLen = the pid of a program's issuer.

20 */

SRAckAlive, /*Sent by the SR to ack. the SPAskingAliveSR,

if ucService != 0, the issuer is still alive.

*/

SPExecSktReady, /*Sent by SP to inform SR that the socket for prog. exec.

25 is ready. The SR can go ahead to connect to the data
socket. ulBlkLen = the pid of the task.

*/

SPExecFinish, /*Sent by SP to inform SR that a task has been finished.

ulBlkLen = the pid of the task.

30 */

SPAlive /*Just inform the connected SR, SP is still alive. */}

Although illustrative embodiments of the invention have been described in detail herein with reference to the accompanying drawings, it is to be understood that the invention is not limited to those precise embodiments, and that various changes and modifications can be effected therein by one skilled in the art without departing from the scope and spirit of the invention as defined by the appended claims.

Embodiments of the invention described above are implemented, at least in part, using software-controlled data processing apparatus, so it will be appreciated that a computer program providing such software control and a transmission or storage medium by which such a computer program is stored are envisaged as aspects of the present invention.

I CLAIM:

1. A station for a network apparatus comprising said station and a plurality of other stations, all interconnected by a communication link, said station comprising:

5 a network connection;

a self assessment module operable to determine a current status of said station, wherein said current status is a measure of said stations available resources;

a trust list that includes a station identifier for said or each other station which is designated as trusted to perform tasks for said station;

10 a broadcast unit operable to transmit service requests to said network connection and onto said network, said service requests being directed to said or each other station identified in said trust list and constituting a request to said or each other station to perform a task for said station; and

15 an answer unit operable to receive service requests from said network through said network connection and, in response thereto, to transmit to said network through said network connection an acceptance or refusal message in respect of said service request, said acceptance or refusal being decided having regard to said current status of said station, as determined by said self assessment module.

20 2. A station according to claim 1, wherein said self assessment module is operable to determine a static status for said station based on hardware resources of said station and a dynamic status for said station based on current usage of said hardware resources.

25 3. A station according to claim 1, further comprising a system security module operable to handle encryption between said station and said or each other trusted station.

30 4. A station according to claim 1, further comprising a task execution, monitoring and reporting module operable to broadcast to said network progress updates on tasks accepted by and being performed in said station on behalf of an other station.

5. A station according to claim 1, further comprising a task scheduler module arranged to monitor all tasks being performed in said station, including tasks initiated by said station for said station and tasks being performed in response to receipt of a service request from one of said other stations.

6. A station according to claim 1, further comprising a service requirement analysis module and a software resource repository in which a plurality of software modules are stored, said service requirement analysis module being operable to maintain said software resource repository by importing and exporting software modules to and from other stations having regard to demand in said station for such software modules.

7. A station according to claim 6, wherein said station is further operable to broadcast messages to said network offering software modules held in said software resource repository to said or each other trusted station.

8. A station according to claim 1, further comprising a service/performance history learning analysis module operable to apply artificial intelligence to find task bottlenecks in said station and said other stations, and to bring these to the attention of a network administrators if it can not solve them itself.

9. A station according to claim 1, further comprising a task failure management module, operable to transmit to said network a failure message in response to failure of said station successfully to complete a task being performed for one of said other stations.

10. A station according to claim 9, wherein said task failure management module is further operable to monitor for failure messages transmitted by one of its trusted stations and, in response thereto, to handle said failure message as a service request message for said failed task.

11. A network comprising a plurality of stations according to claim 1 interconnected by a communication link.

5 12. A network according to claim 11, wherein there is no central server for said network.

13. A network according to claim 11, wherein said network operates to a protocol that permits stations to be removed from and added to said network dynamically.

10

14. A method of distributing tasks in a network comprising a plurality of stations, all interconnected by respective network connections to a communication link, said method comprising:

transmitting a service request by a first station to its network connection and
15 onto said network, said service request being directed to a trusted sub-group of said stations and specifying a task to be performed; and

receiving said service request by a second station, that is one of said trusted sub-group of stations, through its network connection and, in response thereto, transmitting to said network through its network connection an acceptance or refusal
20 message in respect of said service request, said acceptance or refusal being decided having regard to said current status of said second station, as determined by a self assessment of said second station; and

carrying out said task specified in said service request by said second station and returning a service result to said first station.

25

15. A method according to claim 14, wherein said carrying out of said service request by said second station involves further distribution of said service by transmitting further service requests to a sub-group of said stations trusted by said second station.

30

16. Computer software comprising program code means for carrying out a method according to claim 14.

17. A carrier medium carrying computer software according to claim 16.

5

18. A medium according to claim 17, the medium being a storage medium.

19. A medium according to claim 17, the medium being a transmission medium.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2

ABSTRACT OF THE DISCLOSURE

A station for a network apparatus comprising the station and a plurality of other stations, all interconnected by a communication link. The station comprises: a network
5 connection; a self assessment module operable to determine a current status of the station, wherein the current status is a measure of the stations available resources; a trust list that includes a station identifier for the or each other station which is designated as trusted to perform tasks for the station; a broadcast unit operable to
10 transmit service requests to the network connection and onto the network, the service requests being directed to the or each other station identified in the trust list and constituting a request to the or each other station to perform a task for the station; and an answer unit operable to receive service requests from the network through the network connection and, in response thereto, to transmit to the network through the network connection an acceptance or refusal message in respect of the service request,
15 the acceptance or refusal being decided having regard to the current status of the station, as determined by the self assessment module.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

DECLARATION OF PATENT APPLICATION (JOINT OR SOLE)

(Under 37 CFR § 1.63; with Power of Attorney)

FROMMER LAWRENCE & HAUG LLP

FLH File No. 450110-02767

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention ENTITLED:

DISTRIBUTED SERVICE PROVIDER

the specification of which

X is attached hereto.

_____ was filed on _____ as Application Serial No. _____,
with amendment(s) through _____ (if applicable, give dates).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s) (list additional applications on separate page): Priority Claimed:

<u>Number:</u>	<u>Country:</u>	<u>Filed (Day/Month/Year):</u>	<u>Yes</u>	<u>No</u>
9921233.4	U.K.	8 September 1999	X	

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56, which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Prior U.S. Application(s) (list additional applications on separate page):

Appl. Ser. Number: Filed (Day/Month/Year): Status (patented, pending, abandoned):

I hereby appoint WILLIAM S. FROMMER, Registration No. 25,506, and DENNIS M. SMID, Registration No. 34,930 or their duly appointed associate, my attorneys, with full power of substitution and revocation, to prosecute this application, to make alterations and amendments therein, to file continuation and divisional applications thereof, to receive the Patent, and to transact all business in the Patent and Trademark Office and in the Courts in connection therewith, and specify that all communications about the application are to be directed to the following correspondence address:

WILLIAM S. FROMMER, Esq.
c/o FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151

Direct all telephone calls to:
(212) 588-0800
to the attention of:
WILLIAM S. FROMMER

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

INVENTOR(S):

Signature: [Signature]

Full name of sole or first inventor:

Residence:

Citizenship:

Yiming ZHOU
Union City, CA

~~China~~

British ~~US~~

Date: 8/31/2000

Signature: _____

Full name of 2nd joint inventor (if any):

Residence:

Citizenship:

Date: _____

Signature: _____

Full name of 3rd joint inventor (if any):

Residence:

Citizenship:

Date: _____

Dr. YIMING ZHOU
4800 La Habra Street
Union City
CA 94587

(Similarly list additional inventors on separate page)


Post office Address(es) of inventor(s):

[if all inventors have the same post office address]

Note: In order to qualify for reduced fees available to Small Entities, each inventor and any other individual or entity having rights to the invention must also sign an appropriate separate "Verified Statement (Declaration) Claiming for Supporting a Claim by Another for Small Entity Status" form [e.g. for Independent Inventor, Small Business Concern, Nonprofit Organization, Individual Non-Inventor].

Note: A post office address must be provided for each inventor.

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

There are 19 pages of specification enclosed

☐ Scanned copy is best available.